



★ NewStar Lighting DOS Series-Flange Installation Instructions

2225 W Pershing Rd. Chicago, IL 60609 - 773.847.1400 - www.newstarlighting.com

IMPORTANT SAFE GUARDS:

- THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.
- DISCONNECT POWER BEFORE BEGINNING INSTALLATION.
- FIXTURE MUST BE INSTALLED IN COMPLIANCE WITH THE NATIONAL ELECTRIC CODE AND ANY LOCAL CODES.
- TO BE INSTALLED ONLY BY A QUALIFIED ELECTRICIAN.
- PROPER GROUNDING IS REQUIRED TO INSURE PERSONAL SAFETY.
- READ ALL FIXTURE MARKINGS AND LABELS TO ENSURE CORRECT INSTALLATION OF FIXTURE.
- RISK OF FIRE, USE A MINIMUM OF 90C SUPPLY CONNECTORS.



INSTALLATION INSTRUCTIONS:




★ NewStar Lighting DOS Series-Flange Installation Instructions

2225 W Pershing Rd. Chicago, IL 60609 - 773.847.1400 - www.newstarlighting.com


1. Install yoke at 36" on center.



2. Insert screws and add nut to secure screw.




DETAIL A
SCALE 1 : 7





NewStar Lighting DOS Series—Flange Installation Instructions

2225 W Pershing Rd. Chicago, IL 60609 - 773.847.1400 - www.newstarlighting.com

3. Remove door fasteners.



4. Remove end brackets.




DETAIL B
SCALE 1 : 4



NewStar Lighting DOS Series-Flange Installation Instructions

2225 W Pershing Rd. Chicago, IL 60609 - 773.847.1400 - www.newstarlighting.com


5. Remove side lens' to access LED gear tray and right side reflector fasteners.



6. Remove LED gear tray and right side reflector.



DETAIL B
SCALE 1 : 2.5




DETAIL C
SCALE 1 : 2.5




NewStar Lighting DOS Series-Flange Installation Instructions

2225 W Pershing Rd. Chicago, IL 60609 - 773.847.1400 - www.newstarlighting.com

7. Remove knockouts and raise fixture into ceiling.



8. After securing fixture, make necessary electrical connections. reattach LED gear trays, lens' and brackets.



DETAIL D
SCALE 1 : 7

Hardware to mount
fixture to yoke in
ceiling

6. Reattach door frame.

