


POSITIVECARE™ OVERLAPPING GRID MRI SERIES WITH S.I.T.E™



PROJECT: _____
TYPE: _____
PRODUCT: _____
APPROVED BY: _____

PRODUCT FEATURES

Transform New Star Lighting's versatile Overlapping Grid MRI Series with a S.I.T.E™ by Vara Kamin Image. S.I.T.E™ (Sensory Immersion Transition Experience™) images provide visual support for patients in high-stress clinical care settings. Rich in color, movement and texture, Kamin's paintings provide a calming point of focus to limit external stimuli by engaging active imagination, providing procedural distraction, and stimulating the relaxation response. Images sit directly over a standard grid, eliminating the need for bulky doorframes and creating the look of a lumious ceiling. S.I.T.E™ Images can be configured as a standalone image to an extended custom curated layout.



PCG-MRI Series with VTP (Touching Petals®) Image Option Shown

ORDERING INFORMATION

Example: PCG-MRI-22-TB15-XXX-VTP-80C-40-UN



PCG	MRI			
Series	MRI	Nominal Size 22 = 2' x 2' 24 = 2' x 4' 44 = 4' x 4'	Mounting/Suspension TB15 = T-bar 15/16" TB24 = T-bar 1 1/2"	Ceiling Configuration X Y Z X = # of Overlapping Grids per Mural Y = Horizontal length of Mural (Feet) Z = Vertical length of Mural (Feet) * Configuration Example on Page 3. Custom configurations and shapes available, consult factory. Images may need to be edited based on layout.

				40	
Image*				CRI	Color Temp.
VMD = Moon Drops®	VSG = Sea Garden®	VPG = Priscilla's Garden®	VSS = Sacred Soil®	80C = 80 CRI	40 = 4000K
VBL = Bridge of Light®	VTP = Touching Petals®	VST = Still Point®	VOS = Summer of Sundays®	90C = 90 CRI	
VSP = Sacred Passages-Balance®	VMM = Morning Melody®	VFM = View from the Mesa®			Voltage
VIM = Infinite Moment®	VSE = Soul's Eyes®				12 = 120V 27 = 277V UN = Universal (120-277V)

*Image options on Page 3.

POWER REMOTE SUPPLY ORDERING INFORMATION

PositiveCare MRI fixtures supplied with remote LED Driver (must be remote mount outside of Imaging Room). One Driver inside one Box to power one fixture (maximum). Consult factory for additional options. MRI room EMI filter required (supplied by others). Note, each Power Supply requires individual Filter. Consult factory for additional Power Supply configurations.

PCG	MRI		PS-1/1-P	
Series	MRI	SIZE 22 = 2' x 2' 44 = 4' x 4'	Power Supply PS-1/1-P = One Driver per Fixture. *Filter required by others. Consult factory for Power Supply Options.	Options DM = 0-10V dimming with 1-100% range



New Star Lighting

2225 W Pershing Rd, Chicago, IL 60609
(773) 847-1400
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

SPECIFICATIONS

CONSTRUCTION: 16-Gauge aluminum 0.050" housing.

LENS: .187" UV-stabilized polycarbonate lens with S.I.T.E™ graphic image overlay (consult page 4 for image options).

REFLECTORS: Hi-reflectance powder coat aluminum.

LUMINAIRE SUPPORT: Aluminum hold-down clips

FINISH: White antimicrobial polyester powder coat following multi-stage iron phosphate pretreatment on all exposed room-side surfaces.

LED: LED modules are available in 4000K with maximum 3-step MacAdam variation allowance. Minimum 50,000h with 85% of lumen maintenance in 25°C ambient temperature environment, in compliance with IES LM-80 testing measurements. Standard 0-10V dimming driver with 1-100% range.

POWER SUPPLY: LED driver included – must be remote mount. Must order Power Supply separately, Page 3. MRI room EMI filter required, supplied by others. Input Voltage: AC120V-277V.


LABEL: Fixture is certified to UL standards by Intertek Testing Laboratory and NSF standards. Compliant with MIL-STD 461G for radiated and conducted emissions.

WARRANTY: New Star Lighting will warrant defective LEDs, boards, EMI filters, and drivers for 5 years from date of purchase. Warranty is valid only if luminaire is installed and used according to specifications and installation instructions.

If defective, New Star will send replacement boards, filters or drivers at no cost along with detailed replacement instructions and instructions on how to return defective components to New Star.


T-BAR STYLE MOUNTING

(TB15)




5/16" T-BAR

(TB24)




11/2" T-BAR

EXAMPLE WIRING DIAGRAMS



Single connection installation



Multiple connection installation



New Star Lighting

2225 W Pershing Rd, Chicago, IL 60609
 (773) 847-1400
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.


CONFIGURATION EXAMPLE

Order quantity based on number of murals, not Overlapping Grid fixtures.
Example: Qty 1: PCG-MRI-24-M484-RT-UN-57 = 1 Mural consisting of 4 (2x4) Overlapping Grid fixtures. Two Overlapping Grid fixtures across (8') and two Overlapping Grid fixtures down (4').

CONFIGURATION EXAMPLE #1

4 8 4
X Y Z

X = Number of Overlapping Grid fixtures per Mural = 4 (2x4 PCG fixtures)
Y = Horizontal length of Mural (Feet) = 8ft
Z = Vertical length of Mural (Feet) = 4ft



CONFIGURATION EXAMPLE #2

4 4 8
X Y Z

X = Number of Overlapping Grid fixtures per Mural = 4 (2x4 PCG fixtures)
Y = Horizontal length of Mural (Feet) = 4ft
Z = Vertical length of Mural (Feet) = 8ft













IMAGE OPTIONS




New Star Lighting

2225 W Pershing Rd, Chicago, IL 60609
 (773) 847-1400
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

INSTALLATION INSTRUCTIONS



New Star Lighting

2225 W Pershing Rd, Chicago, IL 60609
 (773) 847-1400
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.