

PROJECT: \_\_\_\_\_  
 TYPE: \_\_\_\_\_  
 PRODUCT: \_\_\_\_\_  
 APPROVED BY: \_\_\_\_\_

## PRODUCT FEATURES

The PositiveCare™ SKYLite Series provides a calming skylight appearance with the look of a luminous ceiling. Images are backlit by the luminaire recessed above within a standard grid. New Star offers a variety of high quality image overlays with the option of custom images that can be configured as a standalone image or into a mural

- Intended for MRI and Hybrid Surgical Suite applications
- Available in 1x1, 1x4, 2x2, 2x4, and 4x4 dimensions
- Designed to install into a grid ceiling with aluminum angled edge recessed frame that provides skylight appearance
- Non-ferrous construction and remote power supplies provide safe operating conditions for MRI machines, medical imaging equipment, and other magnetically sensitive apparatus
- Extensive library of graphics, including photography, designer geometric, biophilic, and pediatric images
- Certified to UL standards by Intertek Testing Laboratory and NSF standards. Compliant with MIL-STD 461G for radiated and conducted emissions
- This product was Made in America and complies with the Buy American Act requirements



PCSKLMRI Series

## ORDERING INFORMATION

Example: PCSKLMRI22-GAD-1-80C-27-UN-DMI



PCSKLMRI			80C	
<b>Series</b> <b>Size*</b> 11 = 1x1 14 = 1x4 22 = 2x2 24 = 2x4 44 = 4x4  *Nominal size. Dimensional data on Page 2.	<b>Mounting</b> GAD = Grid with Aluminum Angled Recessed Frame	<b>Ceiling Configuration</b> X Y Z  X = Number of SKYLite fixtures per Mural Y = Horizontal length of Mural (Feet) Z = Vertical length of Mural (Feet)  * Configuration Example on Page 3. Custom configurations and shapes available, consult factory. Images may need to be edited based on layout.	<b>Image</b> blank = .125" Frosted Polycarbonate  Please <a href="#">CLICK HERE</a> to go to image selection guide (insert code in place)  +PCC(#) = custom image*  *Provide your own image (must be 150dpi at 100% image size).	<b>CRI</b> 80C = 80 CRI
<b>Color Temp.</b> 30 = 3000K 35 = 3500K 40 = 4000K 50 = 5000K TW1 = Tunable White 2700K to 5000K* TW2 = Tunable White 2700K to 6500K*  *Specify TW Driver under Options	<b>Voltage</b> 12 = 120V 27 = 270V 34 = 347V UN = Universal (120V-277V)	<b>Driver Type</b> DMI = 0-10V dimming with 1-100% range Driver  <b>Tunable White Driver:</b> DALI8 = 1-Channel Dali8* TW0 = 2-Channel 0-10V*  *Tunable White Driver requires choice of TW1 or TW2 in Lamp Color column. See Page 2 to specify system.	<b>Other (Optional)</b> FW = Flex whip (6' std)* CP = Chicago Plenum E-# = Emergency Section** GTD-# = Generator Transfer Device** ELI = Emergency Battery  *Other lengths available; please consult factory. **Specify quantity.	

Remote Power Supply needs to be ordered as a separate line item. Please see page 3 for nomenclature.

## SPECIFICATIONS

**CONSTRUCTION:** Die-formed 16Ga. aluminum frame painted with an antimicrobial white polyester powder coat finish (unless otherwise specified). Angled recessed frame illuminates the image by raising the SKYLite 3" above standard grid ceiling (15/16").

**IMAGES:** Variety of high-resolution images designed to scale into large murals without pixelation. Images are printed on UV-stabilized polycarbonate lens material, unless otherwise specified.

**LENS:** .187" UV-stabilized polycarbonate lens with PositiveCare™ graphic image overlay (consult gallery on website for image options).

**LED:** Available in four white color temperatures 3000K, 3500K, 4000K, and 5000K (recommended). Other color temperatures available, consult factory. Minimum 50,000 hours with 70% lumen maintenance in a 25°C ambient temperature, compliant with IES LM-80 testing standards.

**ELECTRICAL:** Standard 120-277VAC, 50/60Hz electrical input with constant current drivers (<210% THD, >0.90 PF).

**PCSKL22:** Input Power 40W

**PCSKL24:** Input Power 80W

**PCSKL44:** Input Power 120W

### TUNABLE DRIVER OPTIONS:

**DALI8** - DALI Type 8 (One DALI Address)

**TWO** - Two channel 0-10V dimming: one channel for brightness, one channel for CCT


**INSTALLATION:** Grid installation. Mounting for custom ceilings available, consult factory.

**WARRANTY:** 5 Year Warranty.

**LABEL:** Fixture is certified to UL standards by Intertek Testing Laboratory for Damp Locations. This product was Made in America and complies with the Buy American Act requirements.

## DIMENSIONAL DATA

Dimensions based on standard (15/16") Grid. Must have 4.5" ceiling clearance.



	Frame Size	SKYLite Size (without Driver Box)	Total Height
<b>PCSKL11</b>	11.79" x 11.79" x 3.00"	11.81" x 11.81" x 0.56"	4.11"
<b>PCSKL14</b>	11.79" x 47.75" x 3.00"	11.81" x 47.75" x 0.56"	4.11"
<b>PCSKL22</b>	23.79" x 23.79" x 3.00"	23.62" x 47.75" x 0.56"	4.11"
<b>PCSKL24</b>	23.83" x 47.85" x 3.00"	23.62" x 47.62" x 0.56"	4.11"
<b>PCSKL44</b>	47.85" x 47.85" x 3.00"	47.64" x 47.64" x 0.56"	4.11"



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## REMOTE POWER SUPPLY ORDERING INFORMATION

POWER SUPPLY: LED driver included - must be remote mount. Must order Power Supply separately.

MRI room EMI filter required, supplied by others.

Input Power 120V-277V14:

PCSKLMRI14: Input Power 40W

PCSKLMRI22: Input Power 40W

PCSKLMRI24: Input Power 80W

PCSKLMRI44: Input Power 120W

PositiveCare MRI fixtures supplied with remote LED Driver (must be remote mount outside of Imaging Room). One Driver inside one Box to power one fixture (maximum). Consult factory for additional options. MRI room EMI filter required (supplied by others). Note, each Power Supply requires individual Filter. Consult factory for additional Power Supply configurations.

PCSKLMRI		PS-1/1-P	
<b>Series</b>	<b>SIZE</b> <b>11</b> = 1' x 1' <b>14</b> = 1' x 4' <b>22</b> = 2' x 2' <b>24</b> = 2' x 4' <b>44</b> = 4' x 4'		<b>Options</b> <b>DM</b> = 0-10V dimming with 1-100% range

## CONFIGURATION EXAMPLE

Order quantity based on number of murals, not SKYLite fixtures.

Example: Qty 1: PCSKLMRI24-M484-RT-UN-57 = 1 Mural consisting of 4 (2x4) SKYLite fixtures. Two SKYLite fixtures across (8') and two SKYLite fixtures down (4').


CONFIGURATION EXAMPLE #1
4 8 4

X Y Z

X = Number of SKYLite fixtures per Mural = 4 (2x4 SKYLite fixtures)

Y = Horizontal length of Mural (Feet) = 8ft

Z = Vertical length of Mural (Feet) = 4ft




CONFIGURATION EXAMPLE #2
4 4 8

X Y Z

XX = Number of SKYLite fixtures per Mural = 4 (2x4 SKYLite fixtures)

Y = Horizontal length of Mural (Feet) = 4ft

Z = Vertical length of Mural (Feet) = 8ft



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609

(773) 847-1400

www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## IMPORTANT SAFETY MEASURES

Power must be supplied by grounded New Star Remote Power Supply to ensure adequate EMI filtering. Remote Power Supply system must be ordered separately, and installed according to provided instructions.

- This must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved in a MRI environment
- Disconnect power to all circuits before wiring fixture
- Install in accordance with all national, state, and local codes
- Remote Power Supply MUST be grounded
- Failure to install unit on a mechanically sound surface may result in personal injury, physical damage, or potential fire hazard
- Use installation procedures appropriate to a MRI environment and sensitive electronic equipment
- Read all fixture marketing and labels to ensure correct installation of the luminaire
- Supplemental instructions may be located on the luminaire, in addition to the instruction sheet provided by New Star, regarding orientation or mounting restrictions



### New Star Lighting

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
[www.newstarlighting.com](http://www.newstarlighting.com)

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## SPECIFIER ACKNOWLEDGMENT

Contractor acknowledges and understands the requirements of installing New Star Lighting products prior to the installation.

**Please sign below before New Star Lighting releases your order.**

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Print Name: \_\_\_\_\_

Project Name: \_\_\_\_\_

----- See next page for MRI installation registration checklist -----



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## MRI INSTALLATION REGISTRATION CHECKLIST

Customer acknowledges that attached Installation Registration Checklist will be provided to the installer to sign and return to New Star Lighting after the installation is complete. **Please fill out this form and return to your New Star Lighting Representative.**

*The warranty for your MRI installation will not go into effect until receipt of this signed registration checklist.*

I certify that the lighting installation for the listed MRI suite is completed per the provided installation instructions and to the best of my abilities.

Please check off to denote status:

Installation instruction sheet for Remote Power Supply is read and followed.

Remote Power supply is located outside the shielded MRI exam room and grounded.

All dimming signals wiring is located outside the shielded MRI room.

Lighting system fully tested (including dimming operation if applicable) while MRI machine is in idle mode.

Lighting system fully tested (including dimming operation, if applicable) while MRI machine is in scan operation mode with the magnets fully activated.

If any of those steps cannot be completed or you need technical assistance, please contact your New Star Lighting Representative.

Electrical Contractor

Installation site

Name: \_\_\_\_\_

Project Name: \_\_\_\_\_

Phone: \_\_\_\_\_

City / State (Province): \_\_\_\_\_

Installation date: \_\_\_\_\_

Send the form to your New Star Lighting Representative.

New Star Lighting Representative: \_\_\_\_\_

Date: \_\_\_\_\_



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## POSITIVECARE™ PHOTOGRAPHY

### SPRING TREES



PC40001



PC40002



PC40003



PC40004



PC40005



PC40006



PC40007



PC40008



PC40009



PC40010

### SUMMER TREES



PC50001



PC50002



PC50003



PC50004



PC50005



PC50006



PC50007



PC50008



PC50009



PC50010



PC50011



PC50012



PC50013



PC50014



PC50015



PC50016



PC50017



PC50018



PC50019



PC50020



#### New Star Lighting

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## SUMMER TREES



PC50021



PC50022



PC50023



PC50024



PC50025



PC50026



PC50027



PC50028



PC50029



PC50030



PC50031



PC50032



PC50033



PC50034

## FALL TREES



PC60001



PC60002



PC60003



PC60004



PC60005



PC60006



PC60007



PC60008



PC60009



PC60010



PC60011



PC60012



PC60013



PC60014



PC60015



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## FALL TREES



PC60016



PC60017



PC60018



PC60019



PC60020



PC60021



PC60022



PC60023



PC60024



PC60025



PC60026



PC60027



PC60028



PC60029



PC60030




PC60031



PC60032



PC60033



PC60034



PC60035



PC60036



PC60037



PC60038



PC60039



PC60040



PC60041



PC60042



PC60043



PC60044



PC60045



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
[www.newstarlighting.com](http://www.newstarlighting.com)

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## FALL TREES



PC60046



PC60051



PC60047



PC60048



PC60049



PC60050

## OCEAN



PC10001



PC10002



PC10003



### New Star Lighting

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
[www.newstarlighting.com](http://www.newstarlighting.com)

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## CLOUDS



PC20001



PC20002



PC20003



PC20004



PC20005



PC20006



PC20007



PC20008



PC20009



PC20010



PC20011



PC20012



PC20013



PC20014



PC20015



PC20016



PC20017



PC20018



PC20019



PC20020



PC20021



PC20022



PC20023



PC20024



PC20025



PC20026



PC20027



PC20028



PC20029



PC20030



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
[www.newstarlighting.com](http://www.newstarlighting.com)

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## CLOUDS



PC20031



PC20032



PC20033



PC20034



PC20035



PC20036



PC20037



PC20038



PC20039



PC20040

## LANDSCAPES



PC30001



PC30002



PC30003



PC30004



PC30005



PC30006



PC30007



PC30008



PC30009



PC30010



PC30011



PC30012



PC30013



PC30014



PC30015



PC30016



PC30017



PC30018



PC30019



PC30020



### New Star Lighting

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

# POSITIVECARE™ DESIGNER GRAPHICS

## CORAL



PC70001



PC70002



PC70003



PC70004

## DOVE



PC70005



PC70006




PC70007




PC70008

## FEIGN



PC70009



PC70010



PC70011



PC70012




PC70013

## GINKGO



PC70014



PC70015




PC70016




PC70017


## MAGNOLIA




PC70018



PC70019



PC70020



PC70021



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
[www.newstarlighting.com](http://www.newstarlighting.com)


Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

**PINE ON PINE**




PC70022



PC70023



PC70024



PC70025



PC70026

**PRAIRIE**



PC70027



PC70028



PC70029



PC70030

**FEIGN**



PC70031



PC70032




PC70033




PC70034

**ABSTRACTS**




PC11001




PC11002



PC11004



PC11004



PC11005



PC11011



PC11012



PC11013




**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com


Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.


## BASKET




PC80001



PC80002



PC80003




PC80004




PC80005

## BOXED




PC80006



PC80007



PC80008



PC80009



PC80010

## HARBOR



PC80011



PC80012



PC80013



PC80014

## TEXTURE




PC80015



PC80016



PC80017



PC80018



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
[www.newstarlighting.com](http://www.newstarlighting.com)

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.


© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

# POSITIVECARE™ PEDIATRIC DESIGNER GRAPHICS

## BIRD ON A WIRE



PC90001



PC90002



PC90003



PC90004



PC90005

## BUZZY



PC90006



PC90007



PC90008



PC90009

## CONFETTI



PC90010



PC90011



PC90012



PC90013



PC90014

## FIELD FLOWERS



PC90015



PC90016



PC90017



PC90018




**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.


## GEODE




PC90019



PC90020




PC90021




PC90022


## JESTOR




PC90023



PC90024



PC90025



PC90026

## LAND BABIES



PC90027



PC90028




PC90029




PC90030


## MY SUNSHINE




PC90031



PC90032



PC90033



PC90034



PC90035



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.

## NUMBERS GAME



PC90036



PC90037



PC90038



PC90039

## STORK



PC90040



PC90041



PC90042



PC90043



PC90044

## SEA BABIES



PC90045



PC90046




PC90047




PC90048


## BUBBLES




PC90049




PC90050



PC90051



PC90052



PC90053



**New Star Lighting**

2225 W Pershing Rd, Chicago, IL 60609  
(773) 847-1400  
www.newstarlighting.com

Specifications and dimensions are subject to change without notice. For additional options and dimensional details, please consult your New Star Lighting representative.

© 2026, New Star Lighting. All rights reserved. Unauthorized duplication or distribution is prohibited.